SAFETY DATA SHEET

Ecosperse



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	: Ecosperse
Product code	: 003.01000000206
Product description	: Not available.
Product type	: Liquid.
Other means of identification	: Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses		
Industrial/Professional use		
Uses advised against	Reason	
Other than bescribed		

1.3 Details of the supplier of the safety data sheet

VECOM C/O: Westchem BV. Mozartlaan 3 NL-3144 NA Maassluis The Netherlands Tel.: +31(0)10-5930299 Fax: +31(0)10-5930225

e-mail address of person : msds@vecom.nl responsible for this SDS

National contact

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number	: In case of emergency please contact the Dutch National Poison Control, telephone number: 31-(0)30-2748888. (This number is only accessible to the physician treating the patient and only in case of accidental poisoning)
Supplier	
Telephone number	: +31 10 5930299
Hours of operation 08:30 - 17:00	: Hours of operation 08:30 - 17:00
Information limitations	:

Page: 1/12



2.2 Label elements **Hazard pictograms**

SECTION 2: Hazards identification

2.1 Classification of the sul	bstance or mixture
Product definition	: Mixture
Classification according to Skin Irrit. 2, H315 Eye Dam. 1, H318	o Regulation (EC) No. 1272/2008 [CLP/GHS]
Ingredients of unknown toxicity	: Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 24,4%
Ingredients of unknown ecotoxicity	: Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 24,4%
Classification according t	o Directive 1999/45/EC [DPD]
The product is classified as	s dangerous according to Directive 1999/45/EC and its amendments.
Classification	: Xi; R41, R38 R52/53
Human health hazards	: Risk of serious damage to eyes. Irritating to skin.
Environmental hazards	: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2

		E W
Signal word	:	Danger
Hazard statements	:	Causes skin irritation. Causes serious eye damage.
Precautionary statements		
Prevention	:	Wear protective gloves. Wear eye or face protection. Wash hands thoroughly after handling.
Response	:	IF IN EYES: Rinse cautiously with water for several minutes. Immediately call a POISON CENTER or physician.
Storage	1	Not applicable.
Disposal	1	Not applicable.
Hazardous ingredients	1	Amines, hydrogenated tallow alkyl, acetates
Supplemental label elements	:	Not applicable.
Special packaging requirem	en	t <u>s</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Other hazards which do not result in classification	:	Not available.

Page: 2/12



SECTION 3: Composition/information on ingredients

Substance/mixture	: Mixture				
			Class		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Amines, hydrogenated tallow alkyl, acetates 1-methoxy-2-propanol	EC: 263-149-2 CAS: 61790-59-8 REACH #: 01- 2119457435-35	20-25 <15	Xi; R41, R38 N; R51/53 R10 R67	Skin Irrit. 2, H315 Eye Dam. 1, H318 Flam. Liq. 3, H226 STOT SE 3, H336	[1] [1] [2]
2-butoxyethanol	EC: 203-539-1 CAS: 107-98-2 Index: 603-064-00-3 EC: 203-905-0	3-5	Xn; R20/21/22	Eye Irrit. 2, H319	[1] [2]
	CAS: 111-76-2 Index: 603-014-00-0		Xi; R36/38		
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid m	neasures
General	 In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do not induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Page: 3/12



SECTION 4: First aid measures

There are no data available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified for toxicological hazards accordingly. See sections 3 and 15 for details.

Exposure to component solvent vapour concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.

Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

Ingestion may cause nausea, diarrhea and vomiting.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

See toxicological information (Section 11)

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	: Recommended: alcohol-resistant foam, CO ₂ , powders, water spray.
Unsuitable extinguishing media	: Do not use water jet.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.
Special protective equipment for fire-fighters	: Appropriate breathing apparatus may be required.

SECTION 6: Accidental release measures

6.1 Personal precautions, prot	e	ctive equipment and emergency procedures	
For non-emergency personnel	:	Exclude sources of ignition and ventilate the area. Avoid breathing vapour Refer to protective measures listed in sections 7 and 8.	r or mist.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
6.2 Environmental precautions	:	Do not allow to enter drains or watercourses. If the product contaminates rivers, or sewers, inform the appropriate authorities in accordance with loc regulations.	
Date of issue/Date of revision		27-1-2015.	Page: 4/12



sections

SECTION 6: Accidental release measures

6.3 Methods and materials for containment and cleaning up		Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Preferably clean with a detergent. Avoid using solvents.
6.4 Reference to other	:	See Section 1 for emergency contact information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

See Section 13 for additional waste treatment information.

See Section 8 for information on appropriate personal protective equipment.

7.1 Precautions for safe handling	 Prevent the creation of flammable or explosive concentrations of vapours in air and avoid vapour concentrations higher than the occupational exposure limits. In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard. To dissipate static electricity during transfer, earth drum and connect to receiving container with bonding strap. Operators should wear antistatic footwear and clothing and floors should be of the conducting type. Keep away from heat, sparks and flame. No sparking tools should be used. Avoid contact with skin and eyes. Avoid the inhalation of dust, particulates, spray or mist arising from the application of this preparation. Avoid inhalation of dust from sanding. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel. Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws. Information on fire and explosion protection Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.
7.2 Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Notes on joint storage Keep away from: oxidising agents, strong alkalis, strong acids. Additional information on storage conditions Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight. Keep away from sources of ignition. No smoking. Prevent unauthorised access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
7.3 Specific end use(s) Recommendations Industrial sector specific solutions	Not available.Not available.

Page: 5/12



SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name		e Exposure limit values	Exposure limit values		
1-methoxy-2-propanol		EU OEL (Europe, 12/2009). Absorbed through skin. of indicative occupational exposure limit values STEL: 568 mg/m ³ 15 minute(s). STEL: 150 ppm 15 minute(s). TWA: 375 mg/m ³ 8 hour(s). TWA: 100 ppm 8 hour(s).	Notes: list		
2-butoxyethanol		EU OEL (Europe, 12/2009). Absorbed through skin. of indicative occupational exposure limit values STEL: 246 mg/m ³ 15 minute(s). STEL: 50 ppm 15 minute(s). TWA: 98 mg/m ³ 8 hour(s). TWA: 20 ppm 8 hour(s).	Notes: list		
Recommended monitoring procedures	at of pr m na	his product contains ingredients with exposure limits, personal, workp hosphere or biological monitoring may be required to determine the ef- the ventilation or other control measures and/or the necessity to use r otective equipment. Reference should be made to European Standard othods for the assessment of exposure by inhalation to chemical agen tional guidance documents for methods for the determination of hazar ostances.	ifectiveness espiratory d EN 689 for ts and		
Derived effect levels No DELs available.					
Predicted effect concentration	ons				
No PECs available.					
3.2 Exposure controls					
Appropriate engineering controls	by su	bvide adequate ventilation. Where reasonably practicable, this should the use of local exhaust ventilation and good general extraction. If the ficient to maintain concentrations of particulates and solvent vapours EL, suitable respiratory protection must be worn.	ese are not		
Individual protection measu					
Hygiene measures	ea co	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.			
Eye/face protection	: W	ear safety glasses with side protection in accordance with EN 166.			
Skin protection					
Hand protection		Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.			
Gloves	: W	ear suitable gloves tested to EN374.			
		e recommendation for the type or types of glove to use when handling based on information from the following source:	this produc		
	pr	e user must check that the final choice of type of glove selected for ha oduct is the most appropriate and takes into account the particular cor e, as included in the user's risk assessment.			
Body protection		rsonnel should wear antistatic clothing made of natural fibres or of hig nperature-resistant synthetic fibres.	lh-		
Date of issue/Date of revision) : 2	/-1-2015.	Page: 6/12		

Ecosperse

SECTION 8: Exposure controls/personal protection

Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should approved by a specialist before handling this product.	d be
Respiratory protection	If workers are exposed to concentrations above the exposure limit, they must appropriate, certified respirators.	use
Environmental exposure controls	Do not allow to enter drains or watercourses.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physica	I and chemical properties
Appearance	
Physical state	: Liquid.
Colour	: Yellow.
Odour	: Amine-like.
Odour threshold	: Not available.
рН	: 8
Melting point/freezing point	: -2°C
Initial boiling point and boiling range	: 100°C
Flash point	: Closed cup: >100°C [Product does not sustain combustion.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Burning time	: Not applicable.
Burning rate	: Not applicable.
Upper/lower flammability or explosive limits	: Lower: 2,3%
Vapour pressure	: Not available.
Vapour density	: Not available.
Relative density	: 1
Solubility(ies)	: Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n- octanol/water	: Not applicable.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: >150°C
Viscosity	: Dynamic: 175 mPa·s
Explosive properties	: Not available.
Oxidising properties	: Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity		
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.	
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see section 7).	
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	

Date of issue/Date of revision : 27-1-2015.

Page: 7/12



SECTION 10: Stability and reactivity

10.4 Conditions to avoid	:	When exposed to high temperatures may produce hazardous decomposition products.
10.5 Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

There are no data available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified for toxicological hazards accordingly. See sections 3 and 15 for details.

Exposure to component solvent vapour concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.

Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

Ingestion may cause nausea, diarrhea and vomiting.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
1-methoxy-2-propanol	LD50 Dermal	Rabbit	13 g/kg	-
	LD50 Intraperitoneal LD50 Intravenous	Rat Rabbit	3720 mg/kg 1200 mg/kg	-
	LD50 Oral	Rat	6600 mg/kg	-
2-butoxyethanol	LC50 Inhalation Vapour	Rat	2 to 20 mg/l	4 hours
	LD50 Dermal	Rat	2270 mg/kg	-
	LD50 Oral	Rat	6600 mg/kg	-

Conclusion/Summary : Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
1-methoxy-2-propanol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-
2-butoxyethanol	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-
Conclusion/Summary	: Not available.		•		
Sensitisation					
Conclusion/Summary	: Not available.				
Mutagenicity					
Date of issue/Date of revision	1 : 27-1-2015.				Page: 8/12



SECTION 11: Toxicological information

Conclusion/Summary	: Not available.
Carcinogenicity	
Conclusion/Summary	: Not available.
Reproductive toxicity	
Conclusion/Summary	: Not available.
Teratogenicity	
Conclusion/Summary	: Not available.
Specific target organ toxic	<u>city (single exposure)</u>
Not available.	
Specific target organ toxic	city (repeated exposure)

Not available.

Aspiration hazard

Not available.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

There are no data available on the preparation itself. Do not allow to enter drains or watercourses.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is classified for eco-toxicological properties accordingly. See Sections 3 and 15 for details.

Product/ingredient name	Result	Species	Exposure
1-methoxy-2-propanol	Acute EC50 >21000 mg/l	Daphnia	48 hours
	Acute LC50 6812 mg/l	Fish	96 hours
2-butoxyethanol	Acute EC50 >1000 mg/L Fresh water	Daphnia - Daphnia magna - <24 hours	48 hours
	Acute LC50 800000 ug/L Marine water Acute LC50 1250000 ug/L Marine water	Crustaceans - Crangon crangon Fish - Menidia beryllina - 40 to 100 mm	48 hours 96 hours

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Ecosperse		-	low

12.4 Mobility in soil	
Soil/water partition coefficient (K _{oc})	: Not available.
Mobility	: Not available.

12.5 Results of PBT	and vPvB assessment
PBT	: Not applicable.
vPvB	: Not applicable.

Date of issue/Date of revision : 27-1-2015.

Page: 9/12



SECTION 12: Ecological information

12.6 Other adverse effects

: No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

Do not allow to enter drains or watercourses.

Dispose of according to all federal, state and local applicable regulations.

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN/ADNR	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of ar accident or spillage.
Additional information	-	-	-	-



SECTION 14: Transport information

14.7 Transport in bulk: Not available.according to Annex II ofMARPOL 73/78 and the IBCCode

SECTION 15: Regulatory information

15.1 Safety, health and enviro	on	mental regulations/legislation specific for the substance or mixture		
EU Regulation (EC) No. 1907/2006 (REACH)				
Annex XIV - List of substar				
Substances of very high of	:0	ncern		
None of the components a	are	listed.		
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.		
Other EU regulations				
VOC for Ready-for-Use Mixture	:	Not applicable.		
Europe inventory	1	All components are listed or exempted.		
Black List Chemicals	1	Not listed		
Priority List Chemicals	3	Not listed		
Integrated pollution prevention and control list (IPPC) - Air	:	Not listed		
Integrated pollution prevention and control list (IPPC) - Water	:	Not listed		
Industrial use	:	The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.		
International regulations				
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed		
Chemical Weapons Convention List Schedule II Chemicals	:	Not listed		
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed		
15.2 Chemical Safety Assessment	:	This product contains substances for which Chemical Safety Assessments are still required.		

Page: 11/12



SECTION 16: Other information

CEPE code	: 1
Indicates information	n that has changed from previously issued version.
Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
	Calculation method Calculation method

Full text of abbreviated H statements	 H226 Flammable liquid and vapour. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Full text of classifications [CLP/GHS]	: Eye Dam. 1, H318 Eye Irrit. 2, H319 Flam. Liq. 3, H226 Skin Irrit. 2, H315 STOT SE 3, H336 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) [Narcotic effects] - Category 3
Full text of abbreviated R phrases	 R10- Flammable. R20/21/22- Harmful by inhalation, in contact with skin and if swallowed. R41- Risk of serious damage to eyes. R38- Irritating to skin. R36/38- Irritating to eyes and skin. R67- Vapours may cause drowsiness and dizziness. R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Full text of classifications [DSD/DPD]	: Xn - Harmful Xi - Irritant N - Dangerous for the environment
Date of printing	: 27-1-2015.
Date of issue/ Date of revision	: 27-1-2015.
Date of previous issue	: No previous validation.
Version	: 1
Notice to reader	

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Page: 12/12

